

PACKING LIST FOR COMMERCIAL INVOICE

TRENCHER ALPHA 8.1

Parts in definitive exportation

20' WORKSHOP Container n° BSCU2320328 – (7 tons) loaded with :

| Box n° | Qty | Description                                   | Part Number                  | Code of product         |
|--------|-----|-----------------------------------------------|------------------------------|-------------------------|
|        | 1   | Equipped container                            |                              | 86090090                |
|        |     | Spanner /Clé Plate                            |                              |                         |
|        | 2   |                                               | 7                            | 440,7 8204 11 00        |
|        | 2   |                                               | 8                            | 440,8 8204 11 00        |
|        | 2   |                                               | 10                           | 440,1 8204 11 00        |
|        | 2   |                                               | 11                           | 440,11 8204 11 00       |
|        | 2   |                                               | 12                           | 440,12 8204 11 00       |
|        | 2   |                                               | 13                           | 440,13 8204 11 00       |
|        | 2   |                                               | 14                           | 440,14 8204 11 00       |
|        | 2   |                                               | 16                           | 440,16 8204 11 00       |
|        | 2   |                                               | 17                           | 440,17 8204 11 00       |
|        | 2   |                                               | 18                           | 440,18 8204 11 00       |
|        | 2   |                                               | 19                           | 440,19 8204 11 00       |
|        | 2   |                                               | 22                           | 440,22 8204 11 00       |
|        | 2   |                                               | 24                           | 440,24 8204 11 00       |
|        | 2   |                                               | 27                           | 440,27 8204 11 00       |
|        | 2   |                                               | 30                           | 440,3 8204 11 00        |
|        | 2   |                                               | 32                           | 440,32 8204 11 00       |
|        | 2   |                                               | 46                           | 40,46L A 8204 11 00     |
|        |     | Socket Wrench / Clé à pipe                    |                              |                         |
|        | 2   |                                               | 7                            | 76,7 8204 11 00         |
|        | 2   |                                               | 8                            | 76,8 8204 11 00         |
|        | 2   |                                               | 10                           | 76,1 8204 11 00         |
|        | 2   |                                               | 13                           | 76,13 8204 11 00        |
|        | 2   |                                               | 17                           | 76,17 8204 11 00        |
|        | 2   |                                               | 19                           | 76,19 8204 11 00        |
|        | 2   |                                               | 22                           | 76,22 8204 11 00        |
|        | 2   |                                               | 24                           | 76,24 8204 11 00        |
|        | 1   | Monkey Wrench/ Clé à Molette                  | 29                           | 113A 10C 8204 12 00     |
|        | 1   |                                               | 55                           | 113A,18C 8204 12 00     |
|        |     | Allen key/ Clé 6 pans                         |                              |                         |
|        | 2   |                                               | Metric set                   | 83SH.JP9APB 8204 11 00  |
|        | 2   |                                               | US set                       | 83SH.JP9AU 8204 11 00   |
|        | 2   |                                               | Torc set                     | 83S.JP8APB 8204 11 00   |
|        | 1   | Ratchet Box/ Coffret clé à cliquer            | 1/2"                         | S.161D8OX1PB 8204 20 00 |
|        | 1   |                                               | 1/4"                         | R2NANOPB 8204 20 00     |
|        |     | Pliers/ Pince                                 |                              |                         |
|        | 2   |                                               | Cutting/ Coupante            | 192.18CPE 8203 20 00    |
|        | 2   |                                               | Multigrip/ multiprise        | 180.CPE 8203 20 00      |
|        |     | inner Circlips/ à circlips interieur          |                              | 8203 20 00              |
|        | 1   |                                               | 10-25                        | 179A.13 8203 20 00      |
|        | 1   |                                               | 19-60                        | 179A.18 8203 20 00      |
|        |     | outer circlips/ à circlips exterieur          |                              | 8203 20 00              |
|        | 1   |                                               | 10-25                        | 177A.13 8203 20 00      |
|        | 1   |                                               | 19-60                        | 179A.18 8203 20 00      |
|        | 2   |                                               | Vice-grip/ Bloc              | 501APB 8203 20 00       |
|        | 1   |                                               | Universal/ Universelle       | 187.18CPE 8203 20 00    |
|        | 1   |                                               | Bend-it                      | C00169 8203 20 00       |
|        |     | Screwdriver/ Tourne vis                       |                              |                         |
|        | 1   |                                               | Flat/ plat (Different sizes) | AN.J8PB 8205 40 00      |
|        | 0   | Cross-headed/ Cruciforme(Differentes tailles) |                              |                         |
|        |     | Chisel /Burin                                 |                              |                         |
|        | 1   |                                               | Flat/ Plat 150mm             | 263,15 8203 10 00       |
|        | 1   |                                               | Flat/ Plat 250mm             | 263,25 8203 10 00       |
|        | 1   |                                               | casse-joints                 | 259 8203 10 00          |
|        | 1   | Pin punch box/Boite de Chasse goupille        |                              | 249.GPB 8205 20 00      |
|        | 1   |                                               | marteau 400g                 | E154667 8205 20 00      |
|        | 1   |                                               | marteau 2,5kg                | E154674 8205 20 00      |
|        | 1   |                                               | marteau 4,5kg                | HA52 8205 20 00         |
|        |     | measure / mesure                              |                              |                         |
|        | 1   |                                               | calipper/ Pied à coulisse    | W1006001 9017 30 00     |
|        | 5   |                                               | Tape Measure/ Metre          | 5MB0UDON 9017 30 00     |
|        | 1   |                                               | Straight edge/ Règle 30cm    | 104005 9017 30 00       |
|        |     |                                               |                              |                         |
|        | 1   | Saw/ Scie                                     | Jacksaw/ corps scie à métal  | 33883 8202 10 00        |
|        | 10  |                                               | Blade/ lame                  | 1-15-842-1 8202 99 80   |
|        |     |                                               |                              |                         |
|        |     | Metal file/Lime                               |                              |                         |

|    |                                                                |                                              |                |               |
|----|----------------------------------------------------------------|----------------------------------------------|----------------|---------------|
| 1  |                                                                | Triangular File/ Lime triang                 | M912.2008      | 8203 10 00    |
| 1  |                                                                | Half-round/ Demi-ronde                       | M910.2008      | 8203 10 00    |
| 1  |                                                                | Round/ Ronde                                 | M914.2008      | 8203 10 00    |
| 1  |                                                                | Flat/ Plate                                  | M900.2008      | 8203 10 00    |
| 5  |                                                                | Manche                                       | FHS-10         | 8211 91 00    |
|    | Brush/Brosse                                                   |                                              |                |               |
| 1  |                                                                | Steel/ Acier                                 | SM-MA295X4AC   | 9603 00 00    |
| 1  |                                                                | Stainless Steel/ Inox                        | SM-MA295X4IN   | 9603 00 00    |
| 1  | Grease Gun/ Pompe a graisse                                    |                                              |                | 8413 60 39 00 |
|    | Portable Electric Equipment/ Matériel Electroportatif          |                                              |                |               |
| 1  |                                                                | Grinder/ Meule 1500w D12                     | GWS1400        | 8467 29 59    |
| 1  |                                                                | Electric Drill/Visseuse                      | BS18L          | 8207 90 99    |
| 1  |                                                                | Electrical pump tank/Pompe Remplissage Bache |                | 84 136 039    |
| 1  |                                                                | Cable Drum/ Touret électrique                | IBP25257       | 8544 49 91    |
| 1  |                                                                | Arc Welding Machine /Poste à sou             | PICO160        | 8515 29 00    |
| 1  | Air Blow Gun / Soufflette                                      |                                              | 140101         |               |
| 1  | Air Pipe/ Tuyaux 20m                                           |                                              | 431010         | 400 31 00     |
|    | Hub Puller/ Extracteur moyens                                  |                                              |                |               |
| 1  |                                                                | 2 Griffes-65mm                               | E096002        | 82 079 099    |
| 1  |                                                                | 2 Griffes-175mm                              | E096005        | 82 079 099    |
| 3  | knife/ Couteau                                                 |                                              |                | 8208 20 00    |
|    | Tracing/Tracage                                                |                                              |                |               |
| 2  |                                                                | Drawing pin/ Pointe à trace                  | DELA.1589.00   | 9017 20 39    |
| 10 |                                                                | Felt pen/ Feutre                             | 3000797-NO     | 9017 20 39    |
| 2  |                                                                | Pointeau 6mm                                 | 256.6          | 9017 20 39    |
|    | Tap Wrench/ Tourne à Gauche                                    |                                              |                |               |
| 1  |                                                                | N°1                                          | HE2801         | 8207 90 99    |
| 1  |                                                                | N°2                                          | HE2801         | 8207 90 99    |
| 1  |                                                                | N°3                                          | HE2801         | 8207 90 99    |
| 1  |                                                                | N°4                                          | HE2801         | 8207 90 99    |
|    | Threading Die Holder/ Porte Filière                            |                                              |                |               |
| 1  |                                                                | D20                                          | HE2802         | 8207 30 10    |
| 1  |                                                                | D25                                          | HE2802         | 8207 30 10    |
| 1  |                                                                | D30                                          | HE2802         | 8207 30 10    |
| 1  |                                                                | D38                                          | HE2802         | 8207 30 10    |
| 1  |                                                                | D45                                          | HE2802         | 8207 30 10    |
| 1  | Pneumatic Straight Grinder/ Meule Droite Pneumatique           |                                              | DET127MC       | 8467 29 59    |
| 1  | Punch Box For Gasket/Boîte emporte Pièce Pour Joint Plat       |                                              | 164912         |               |
| 1  | Capoule Soudure                                                |                                              | SO8EW100       | 8515 29 00    |
|    | Measure/Mesure                                                 |                                              |                |               |
| 2  |                                                                | Pressure Gauge/ Manomètre 0-                 | 30203751       | 9026 00 00    |
| 2  |                                                                | Pressure Gauge/ Manomètre 0-1                | 30203756       | 9026 00 00    |
| 2  |                                                                | Pressure Gauge/ Manomètre 0-2                | 30203763       | 9026 00 00    |
| 2  |                                                                | Pressure Gauge/ Manomètre 0-40               | 30203764       | 9026 00 00    |
| 5  |                                                                | Cable Millmess M16x2-2m                      | S2-A14A14-2000 | 7312 10 20    |
| 2  | Manual Pump/Pompe manuelle                                     | Gloria 8L                                    | 670801         |               |
|    | Pipe bending/ Cintruse de tube                                 |                                              |                |               |
| 1  |                                                                | D8                                           | 31409619       | 8465 94 00    |
| 1  |                                                                | D12                                          | 31409621       | 8465 94 00    |
|    | Brake Pipe Spanner/ Clé a tuyauter                             |                                              |                |               |
| 2  |                                                                | 12-14                                        | 42.12x14       | 8204 11 00    |
| 2  |                                                                | 17-19                                        | 42.17x19       | 8204 11 00    |
| 2  |                                                                | 22-24                                        | 42.22x24       | 8204 11 00    |
| 2  |                                                                | 30-32                                        | 42.30x32       | 8204 11 00    |
| 2  |                                                                | 36-41                                        | 42.36x41       | 8204 11 00    |
| 2  | Hand Drum Pump / Pompe a fut à main                            |                                              | 22633          | 8413 19 00    |
|    | Insulated Screwdriver/Tournevis Isolé 1000V                    |                                              |                |               |
| 1  |                                                                | Flat/ Plat                                   | ADVE J6PB      | 8205 40 00    |
|    |                                                                | Cross Headed/ Cruciforme                     |                | 8205 40 00    |
| 1  | Set of Precision Screwdrivers/ Boite de Tournevis de Precision |                                              | AEF.J1PB       | 8205 40 00    |
| 1  | Coffret petites Clés                                           |                                              | 31.JE8T        |               |
| 1  | Needle File Set/Jeu de Limes                                   |                                              | 285-9315       | 8203 10 00    |
| 1  | Light Led/ Lampe LED                                           |                                              |                |               |
| 1  |                                                                | Torche rechargeable 30le                     | 907-6429       | 85 395 000    |
|    | Pliers/ Pince                                                  |                                              |                |               |
| 2  |                                                                | Precision cutting/coupante de pr             | 405.10RMT      | 82 032 000    |
| 1  |                                                                | Cutting/ Coupante 1000V                      | 192.18V6       | 82 032 000    |
| 1  |                                                                | Multigrip/ Multiprise 1000V                  | 18.V6          | 82 032 000    |
| 1  |                                                                | Stripping Pliers/ à Dénuder 18               | 194.17V6       | 82 032 000    |
| 1  |                                                                | Universal/ Universelle 1000                  | 187.18V6       | 82 032 000    |
| 1  | Cutter                                                         |                                              | 244992         | 8208 20 00    |
| 1  | Mallet/ Maillet                                                |                                              | 00731          | 8205 20 00    |
|    | Crimping Tool/ Pince à sertir                                  |                                              |                |               |
| 1  |                                                                | RJ45                                         | 65143090       | 82 032 000    |
| 1  |                                                                | à cosse 0,75 à 6mm²                          | 534-806        | 82 032 000    |
| 1  |                                                                | à cosse 10 à 120mm²                          | 624-1314       | 82 032 000    |

|  |    |                                                            |                              |                      |             |
|--|----|------------------------------------------------------------|------------------------------|----------------------|-------------|
|  | 1  |                                                            | BNC                          | 241-8380             | 82 032 000  |
|  | 1  |                                                            | Machoir Serissage            | 282-3502             | 82 032 000  |
|  | 1  | Colson Plier/Pince à colson                                |                              | 82632                | 82 032 000  |
|  | 1  | Multimeter/ Mukimetre                                      |                              | TT965T               | 9030 31 00  |
|  | 1  | Megohmmeter/ Megohmmetre                                   |                              | TT5505               | 90 30 31 00 |
|  | 1  | Clamp ammeter/ Pince ampermétrique                         | 1000V                        | turboltronic KT203   | 90 30 31 00 |
|  | 1  | Heat gun/Pistolet Air Chaud                                |                              | PT2000               | 84 249 080  |
|  | 1  | Chrome Bolt Cutter/Pince coupe Boulon                      |                              | 990.B3PB             | 82 032 000  |
|  | 1  | ScrewDriver insert Box/ Boite Embout Visseuse 32           |                              | 681743               | 8207 90 99  |
|  | 1  | Soldering Iron/ Fer à souder                               |                              | 431-0418             | 85 152 900  |
|  | 1  | Digital Bench Power Supply/Alimentation 24 V 2,5A          |                              | 366-5947             | 851 14 290  |
|  | 1  | Insulated Test Lead Set/Jeux Cordons de test isolé         |                              | 340-2421             | 85 444 991  |
|  | 1  | VCT/VAT                                                    |                              | turboltronic KT172   | 90 303 330  |
|  | 1  | Fiber Optic Crimping Tool/ Pince à sertir Fibre Optique    |                              | EKACCEN007           | 8536 70 00  |
|  | 1  | Fiber Optic Stripping Plier/ Pince à Dénuder Fibre Optique |                              | EKACCP005            | 8536 70 00  |
|  | 1  | Flat Fiber Optic Cleaving Tool/Style à Cliver              |                              | EKACCEN009           | 8536 70 00  |
|  | 1  | kevlar scissor/ Ciseau Kevlar                              |                              | KS-1                 | 8536 70 00  |
|  | 1  | Bague de polissage/Polishing ring                          |                              | 8892                 | 8536 70 00  |
|  | 1  | Fiber Optic Power Meter/ Kit de Test Fibre Optique         |                              | 702-3993             | 8536 70 00  |
|  |    | <b>Consumables</b>                                         |                              |                      |             |
|  |    | Clamp/Collier                                              |                              |                      |             |
|  | 10 |                                                            | 10-16mm                      | 98608016A1309        | 83 09 90 90 |
|  | 10 |                                                            | 18-28mm                      | 98603028A1309        | 83 09 90 90 |
|  | 10 |                                                            | 25-45mm                      | 98603045A1309        | 83 09 90 90 |
|  | 10 |                                                            | 40-60mm                      | 98603060A1309        | 83 09 90 90 |
|  | 10 |                                                            | 35-52mm                      | 98603052A1309        | 83 09 90 90 |
|  | 10 |                                                            | 60-82mm                      | 98605082A1309        | 83 09 90 90 |
|  | 10 |                                                            | 77-97mm                      | 98605097A1309        | 83 09 90 90 |
|  | 10 |                                                            | 91-112mm                     | 98605112A1309        | 83 09 90 90 |
|  | 10 |                                                            | 107-127mm                    | 98605127A1309        | 83 09 90 90 |
|  |    | Clamp/ Collier Band-it                                     |                              |                      |             |
|  | 1  |                                                            | Stainless Steel Band 13      | C20489               | 83 09 90 90 |
|  | 1  |                                                            | Stainless Steel Band 16      | C205G9               | 83 09 90 90 |
|  | 1  |                                                            | Stainless Steel Band 20      | C206R9               | 83 09 90 90 |
|  | 1  |                                                            | Buckle/ Attache 13           | C25499               | 83 09 90 90 |
|  | 1  |                                                            | Buckle/ Attache 16           | C25599               | 83 09 90 90 |
|  | 1  |                                                            | Buckle/ Attache20            | C25699               | 83 09 90 90 |
|  |    | Grinding Belt/Bande Abrasive                               |                              |                      |             |
|  | 1  |                                                            | P36                          | DAF40                | 6805 10 00  |
|  | 1  |                                                            | P60                          | DAF60                | 6805 10 00  |
|  | 1  |                                                            | P80                          | DAF80                | 6805 10 00  |
|  | 1  |                                                            | P120                         | DAF120               | 6805 10 00  |
|  |    | Grinding Wheel/Disque                                      |                              |                      |             |
|  |    | D125                                                       |                              |                      |             |
|  |    | Flap Disk/ Disque à lamelles                               |                              |                      |             |
|  | 30 |                                                            | z40                          | DL0735               | 6804 21 00  |
|  | 30 |                                                            | z80                          | DL0738               | 6804 21 00  |
|  |    | Cutting Disk/ Disque à tronçonner                          |                              |                      |             |
|  | 50 |                                                            | 125x1,6                      | Z125*16 inox         | 6804 21 00  |
|  |    | Grinding Disk/Disque à meuler                              |                              |                      |             |
|  | 20 |                                                            | 125x6,5                      | Z125*65 inox         | 6804 21 00  |
|  | 1  | Carbide Bur for Straight Grinder/ Fraise Meule Droite      | of Carbide Burs/ Boite de fr | COLIS12              | 6804 21 00  |
|  |    | Welding Stick/ Baguette de Soudure                         |                              |                      |             |
|  |    | Basic-coated steel/Acier Basic                             |                              |                      |             |
|  | 2  |                                                            | D2,5                         | 570977               | 3810 90 90  |
|  | 3  |                                                            | D3,2                         | 570984               | 3810 90 90  |
|  |    | Medium-coated Rutile Steel/ Rutile                         |                              |                      |             |
|  | 1  |                                                            | D3,2                         | 588692               | 3810 90 90  |
|  |    | Rutile Stainless Steel/Inox 316L                           |                              |                      |             |
|  | 2  |                                                            | D2,5                         | 529180               | 3810 90 90  |
|  | 2  |                                                            | D3,2                         | 529487               | 3810 90 90  |
|  |    | Stainless steel Fixings/ Visserie                          |                              |                      |             |
|  |    | Bolts HB/Vis TH                                            |                              |                      |             |
|  |    | M22                                                        |                              |                      |             |
|  | 10 |                                                            | ≥200                         | (ISO 4014) - Inox A4 | 7318 16 39  |
|  |    | M20                                                        |                              |                      |             |
|  | 25 |                                                            | ≥90                          | (ISO 4017) - Inox A4 | 7318 16 39  |
|  | 25 |                                                            | ≥70                          | (ISO 4017) - Inox A4 | 7318 16 39  |
|  |    | M16                                                        |                              |                      |             |

|  |     |  |                   |                      |            |
|--|-----|--|-------------------|----------------------|------------|
|  | 25  |  | x160              | (ISO 4017) - Inox A4 | 7318 16 39 |
|  | 25  |  | x130              | (ISO 4017) - Inox A4 | 7318 16 39 |
|  | 25  |  | x110              | (ISO 4017) - Inox A4 | 7318 16 39 |
|  | 10  |  | x100              | (ISO 4017) - Inox A4 | 7318 16 39 |
|  | 25  |  | x90               | (ISO 4017) - Inox A4 | 7318 16 39 |
|  | 150 |  | x70               | (ISO 4017) - Inox A4 | 7318 16 39 |
|  | 50  |  | x65               | (ISO 4017) - Inox A4 | 7318 16 39 |
|  | 50  |  | x60               | (ISO 4017) - Inox A4 | 7318 16 39 |
|  | 170 |  | x50               | (ISO 4017) - Inox A4 | 7318 16 39 |
|  | 90  |  | x45               | (ISO 4017) - Inox A4 | 7318 16 39 |
|  | 25  |  | x40               | (ISO 4017) - Inox A4 | 7318 16 39 |
|  |     |  |                   |                      |            |
|  |     |  | M12               |                      |            |
|  | 25  |  | x110              | (ISO 4017) - Inox A4 | 7318 16 39 |
|  | 60  |  | x50               | (ISO 4017) - Inox A4 | 7318 16 39 |
|  | 175 |  | x40               | (ISO 4017) - Inox A4 | 7318 16 39 |
|  | 50  |  | x35               | (ISO 4017) - Inox A4 | 7318 16 39 |
|  | 50  |  | x30               | (ISO 4017) - Inox A4 | 7318 16 39 |
|  | 50  |  | x25               | (ISO 4017) - Inox A4 | 7318 16 39 |
|  |     |  |                   |                      |            |
|  |     |  | M10               |                      |            |
|  | 25  |  | x90               | (ISO 4017) - Inox A4 | 7318 16 39 |
|  | 75  |  | x40               | (ISO 4017) - Inox A4 | 7318 16 39 |
|  | 50  |  | x35               | (ISO 4017) - Inox A4 | 7318 16 39 |
|  | 50  |  | x30               | (ISO 4017) - Inox A4 | 7318 16 39 |
|  | 25  |  | x20               | (ISO 4017) - Inox A4 | 7318 16 39 |
|  |     |  |                   |                      |            |
|  |     |  | M8                |                      |            |
|  | 25  |  | x90               | (ISO 4017) - Inox A4 | 7318 16 39 |
|  | 25  |  | x60               | (ISO 4017) - Inox A4 | 7318 16 39 |
|  | 50  |  | x50               | (ISO 4017) - Inox A4 | 7318 16 39 |
|  | 50  |  | x40               | (ISO 4017) - Inox A4 | 7318 16 39 |
|  | 100 |  | x35               | (ISO 4017) - Inox A4 | 7318 16 39 |
|  | 50  |  | x30               | (ISO 4017) - Inox A4 | 7318 16 39 |
|  | 50  |  | x25               | (ISO 4017) - Inox A4 | 7318 16 39 |
|  |     |  |                   |                      |            |
|  |     |  | M6                |                      |            |
|  | 100 |  | x40               | (ISO 4017) - Inox A4 | 7318 16 39 |
|  | 100 |  | x30               | (ISO 4017) - Inox A4 | 7318 16 39 |
|  | 100 |  | x25               | (ISO 4017) - Inox A4 | 7318 16 39 |
|  | 100 |  | x16               | (ISO 4017) - Inox A4 | 7318 16 39 |
|  |     |  |                   |                      |            |
|  |     |  | Bolt HSB/ Vis CHC |                      |            |
|  |     |  | M16               |                      |            |
|  | 25  |  | x50               | (ISO 4762) - Inox A4 | 7318 16 39 |
|  | 25  |  | x30               | (ISO 4762) - Inox A4 | 7318 16 39 |
|  |     |  |                   |                      |            |
|  |     |  | M12               |                      |            |
|  | 25  |  | x120              | (ISO 4762) - Inox A4 | 7318 16 39 |
|  | 50  |  | x45               | (ISO 4762) - Inox A4 | 7318 16 39 |
|  | 100 |  | x40               | (ISO 4762) - Inox A4 | 7318 16 39 |
|  | 50  |  | x35               | (ISO 4762) - Inox A4 | 7318 16 39 |
|  | 50  |  | x30               | (ISO 4762) - Inox A4 | 7318 16 39 |
|  | 50  |  | x25               | (ISO 4762) - Inox A4 | 7318 16 39 |
|  |     |  |                   |                      |            |
|  |     |  | M10               |                      |            |
|  | 25  |  | x110              | (ISO 4762) - Inox A4 | 7318 16 39 |
|  | 50  |  | x40               | (ISO 4762) - Inox A4 | 7318 16 39 |
|  | 100 |  | x35               | (ISO 4762) - Inox A4 | 7318 16 39 |
|  | 100 |  | x30               | (ISO 4762) - Inox A4 | 7318 16 39 |
|  | 50  |  | x25               | (ISO 4762) - Inox A4 | 7318 16 39 |
|  |     |  |                   |                      |            |
|  |     |  | M8                |                      |            |
|  | 25  |  | x100              | (ISO 4762) - Inox A4 | 7318 16 39 |
|  | 50  |  | x80               | (ISO 4762) - Inox A4 | 7318 16 39 |
|  | 50  |  | x70               | (ISO 4762) - Inox A4 | 7318 16 39 |
|  | 50  |  | x60               | (ISO 4762) - Inox A4 | 7318 16 39 |
|  | 50  |  | x40               | (ISO 4762) - Inox A4 | 7318 16 39 |
|  | 50  |  | x35               | (ISO 4762) - Inox A4 | 7318 16 39 |
|  | 50  |  | x30               | (ISO 4762) - Inox A4 | 7318 16 39 |
|  | 50  |  | x25               | (ISO 4762) - Inox A4 | 7318 16 39 |
|  | 50  |  | x16               | (ISO 4762) - Inox A4 | 7318 16 39 |
|  | 50  |  | x12               | (ISO 4762) - Inox A4 | 7318 16 39 |
|  |     |  |                   |                      |            |
|  |     |  | M6                |                      |            |
|  | 50  |  | x50               | (ISO 4762) - Inox A4 | 7318 16 39 |
|  | 50  |  | x45               | (ISO 4762) - Inox A4 | 7318 16 39 |
|  | 50  |  | x40               | (ISO 4762) - Inox A4 | 7318 16 39 |
|  | 50  |  | x35               | (ISO 4762) - Inox A4 | 7318 16 39 |
|  | 50  |  | x30               | (ISO 4762) - Inox A4 | 7318 16 39 |

|  |     |     |                       |                       |            |
|--|-----|-----|-----------------------|-----------------------|------------|
|  | 50  |     | x25                   | (ISO 4762) - Inox A4  | 7318 16 39 |
|  | 50  |     | x20                   | (ISO 4762) - Inox A4  | 7318 16 39 |
|  | 50  |     | x16                   | (ISO 4762) - Inox A4  | 7318 16 39 |
|  | 50  |     | x12                   | (ISO 4762) - Inox A4  | 7318 16 39 |
|  |     |     |                       |                       |            |
|  |     |     | M5                    |                       |            |
|  | 50  |     | X40                   | (ISO 4762) - Inox A4  | 7318 16 39 |
|  | 50  |     | x35                   | (ISO 4762) - Inox A4  | 7318 16 39 |
|  | 50  |     | x30                   | (ISO 4762) - Inox A4  | 7318 16 39 |
|  | 50  |     | x25                   | (ISO 4762) - Inox A4  | 7318 16 39 |
|  | 50  |     | x20                   | (ISO 4762) - Inox A4  | 7318 16 39 |
|  | 50  |     | x16                   | (ISO 4762) - Inox A4  | 7318 16 39 |
|  | 50  |     | x12                   | (ISO 4762) - Inox A4  | 7318 16 39 |
|  |     |     |                       |                       |            |
|  |     |     | M4                    |                       |            |
|  | 50  |     | X40                   | (ISO 4762) - Inox A4  | 7318 16 39 |
|  | 50  |     | x35                   | (ISO 4762) - Inox A4  | 7318 16 39 |
|  | 50  |     | x30                   | (ISO 4762) - Inox A4  | 7318 16 39 |
|  | 50  |     | x25                   | (ISO 4762) - Inox A4  | 7318 16 39 |
|  | 50  |     | x20                   | (ISO 4762) - Inox A4  | 7318 16 39 |
|  | 50  |     | x16                   | (ISO 4762) - Inox A4  | 7318 16 39 |
|  | 50  |     | x12                   | (ISO 4762) - Inox A4  | 7318 16 39 |
|  |     |     |                       |                       |            |
|  |     |     | M3                    |                       |            |
|  | 50  |     | x30                   | (ISO 4762) - Inox A4  | 7318 16 39 |
|  | 50  |     | x25                   | (ISO 4762) - Inox A4  | 7318 16 39 |
|  | 50  |     | x20                   | (ISO 4762) - Inox A4  | 7318 16 39 |
|  | 50  |     | x16                   | (ISO 4762) - Inox A4  | 7318 16 39 |
|  | 50  |     | x12                   | (ISO 4762) - Inox A4  | 7318 16 39 |
|  | 200 |     | x8                    | (ISO 4762) - Inox A4  | 7318 16 39 |
|  |     |     | M2,5                  |                       | 7318 16 39 |
|  | 100 |     | x20                   | (ISO 4762) - Inox A4  | 7318 16 39 |
|  | 100 |     | x16                   | (ISO 4762) - Inox A4  | 7318 16 39 |
|  | 100 |     | x12                   | (ISO 4762) - Inox A4  | 7318 16 39 |
|  | 100 |     | x8                    | (ISO 4762) - Inox A4  | 7318 16 39 |
|  |     |     |                       |                       |            |
|  |     |     | Bolt HSCB/VIS TFHC    |                       |            |
|  |     |     | M12                   |                       |            |
|  | 25  |     | x30                   | (ISO 10642) - Inox A4 | 7318 16 39 |
|  |     |     |                       |                       |            |
|  |     |     | M10                   |                       |            |
|  | 50  |     | x35                   | (ISO 10642) - Inox A4 | 7318 16 39 |
|  |     |     |                       |                       |            |
|  |     |     | M8                    |                       |            |
|  | 50  |     | x35                   | (ISO 10642) - Inox A4 | 7318 16 39 |
|  | 60  |     | x30                   | (ISO 10642) - Inox A4 | 7318 16 39 |
|  | 60  |     | x20                   | (ISO 10642) - Inox A4 | 7318 16 39 |
|  |     |     |                       |                       |            |
|  |     |     | M6                    |                       |            |
|  | 50  |     | x12                   | (ISO 10642) - Inox A4 | 7318 16 39 |
|  |     |     |                       |                       |            |
|  |     |     | Bolt MH-HSB /Vis TBHC |                       |            |
|  | 50  |     | M12 x30               | (ISO 7380) - Inox A4  | 7318 16 39 |
|  | 50  |     | M8x20                 | (ISO 7380) - Inox A4  | 7318 16 39 |
|  |     |     |                       |                       |            |
|  |     |     | Bolt SHSB/ Vis SHS    |                       |            |
|  | 1   |     | M8x10                 | (ISO 7379) - Inox A4  | 7318 16 39 |
|  |     |     |                       |                       |            |
|  |     |     | Bolt HSG/VIS STHC     |                       |            |
|  |     |     | Nut H/Eccrou H        |                       |            |
|  | 25  | M22 | Hex/Standard          | (ISO4032) - Inox A2   | 7318 16 39 |
|  | 50  |     | Nylock                | (DIN 985) - Inox A2   | 7318 16 39 |
|  |     |     |                       |                       |            |
|  | 25  | M20 | Hex/Standard          | (ISO4032) - Inox A2   | 7318 16 39 |
|  | 50  |     | Nylock                | (DIN 985) - Inox A2   | 7318 16 39 |
|  |     |     |                       |                       |            |
|  | 150 | M16 | Hex/Standard          | (ISO4032) - Inox A2   | 7318 16 39 |
|  | 300 |     | Nylock                | (DIN 985) - Inox A2   | 7318 16 39 |
|  |     |     |                       |                       |            |
|  | 200 | M12 | Hex/Standard          | (ISO4032) - Inox A2   | 7318 16 39 |
|  | 350 |     | Nylock                | (DIN 985) - Inox A2   | 7318 16 39 |
|  |     |     |                       |                       |            |
|  | 200 | M10 | Hex/Standard          | (ISO4032) - Inox A2   | 7318 16 39 |
|  | 350 |     | Nylock                | (DIN 985) - Inox A2   | 7318 16 39 |
|  |     |     |                       |                       |            |
|  | 200 | M8  | Hex/Standard          | (ISO4032) - Inox A2   | 7318 16 39 |
|  | 350 |     | Nylock                | (DIN 985) - Inox A2   | 7318 16 39 |
|  |     |     |                       |                       |            |
|  | 200 | M6  | Hex/Standard          | (ISO4032) - Inox A2   | 7318 16 39 |
|  | 350 |     | Nylock                | (DIN 985) - Inox A2   | 7318 16 39 |

|     |                                                      |                      |                      |            |
|-----|------------------------------------------------------|----------------------|----------------------|------------|
| 200 | M5                                                   | Hex/Standard         | (ISO4032) - Inox A2  | 7318 16 39 |
| 200 |                                                      | Nylock               | (DIN 985) - Inox A2  | 7318 16 39 |
| 200 | M4                                                   | Hex/Standard         | (ISO4032) - Inox A2  | 7318 16 39 |
| 200 |                                                      | Nylock               | (DIN 985) - Inox A2  | 7318 16 39 |
| 200 | M3                                                   | Hex/Standard         | (ISO4032) - Inox A2  | 7318 16 39 |
| 200 |                                                      | Nylock               | (DIN 985) - Inox A2  | 7318 16 39 |
| 500 | M2,5                                                 | Hex/Standard         | (ISO4032) - Inox A2  | 7318 16 39 |
| 500 |                                                      | Nylock               | (DIN 985) - Inox A2  | 7318 16 39 |
|     | Washer/Rondelle                                      |                      |                      |            |
| 50  | Ø22                                                  | Flat / Plate         | (ISO 7089) - Inox A2 | 7318 16 39 |
| 100 | Ø20                                                  | Spring Washer/Grower | (ISO 7980) - Inox A2 | 7318 16 39 |
| 300 |                                                      | Flat / Plate         | (ISO 7089) - Inox A2 | 7318 16 39 |
| 150 | Ø16                                                  | Spring Washer/Grower | (ISO 7980) - Inox A2 | 7318 16 39 |
| 650 |                                                      | Flat / Plate         | (ISO 7089) - Inox A2 | 7318 16 39 |
| 300 | Ø12                                                  | Spring Washer/Grower | (ISO 7980) - Inox A2 | 7318 16 39 |
| 600 |                                                      | Flat / Plate         | (ISO 7089) - Inox A2 | 7318 16 39 |
| 100 |                                                      | Nordlock             |                      | 7318 16 39 |
| 300 | Ø10                                                  | Spring Washer/Grower | (ISO 7980) - Inox A2 | 7318 16 39 |
| 400 |                                                      | Flat / Plate         | (ISO 7089) - Inox A2 | 7318 16 39 |
| 200 | Ø8                                                   | Spring Washer/Grower | (ISO 7980) - Inox A2 | 7318 16 39 |
| 200 |                                                      | Flat / Plate         | (ISO 7089) - Inox A2 | 7318 16 39 |
| 200 | Ø6                                                   | Spring Washer/Grower | (ISO 7980) - Inox A2 | 7318 16 39 |
| 200 |                                                      | Flat / Plate         | (ISO 7089) - Inox A2 | 7318 16 39 |
| 200 | Ø5                                                   | Spring Washer/Grower | (ISO 7980) - Inox A2 | 7318 16 39 |
| 200 |                                                      | Flat / Plate         | (ISO 7089) - Inox A2 | 7318 16 39 |
| 200 | Ø4                                                   | Spring Washer/Grower | (ISO 7980) - Inox A2 | 7318 16 39 |
| 200 |                                                      | Flat / Plate         | (ISO 7089) - Inox A2 | 7318 16 39 |
| 200 | Ø3                                                   | Spring Washer/Grower | (ISO 7980) - Inox A2 | 7318 16 39 |
| 200 |                                                      | Flat / Plate         | (ISO 7089) - Inox A2 | 7318 16 39 |
| 500 | Ø2,5                                                 | Spring Washer/Grower | (ISO 7980) - Inox A2 | 7318 16 39 |
| 500 |                                                      | Flat / Plate         | (ISO 7089) - Inox A2 | 7318 16 39 |
|     | Pin/Goupille                                         |                      |                      |            |
| 20  |                                                      | Ø3,2x28              | (ISO 1234) - Inox A4 | 7318 16 39 |
| 20  |                                                      | Ø3,2x60              | (ISO 1234) - Inox A4 | 7318 16 39 |
| 30  |                                                      | Ø4x35                | (ISO 1234) - Inox A4 | 7318 16 39 |
| 20  |                                                      | Ø6,3x56              | (ISO 1234) - Inox A4 | 7318 16 39 |
|     | Hydraulic Stainless Steel Pipe/Tube Hydraulique Inox |                      |                      |            |
| 6   |                                                      | Ø8x1                 | A4-T08x1,0(2x3m)     | 7318 16 39 |
| 6   |                                                      | Ø12x1,5              | A4-T12x1,5(3x2m)     | 7318 16 39 |
| 6   |                                                      | Ø20x2,5              | A4-T12x2,5mm(2x3m)   | 7318 16 39 |
| 200 | Nut/Ecrou Nylon                                      | M16                  |                      | 7318 16 39 |
| 200 | Washer/ Rondelle Nylon                               | Ø16                  |                      | 7318 16 39 |
|     | Threaded Bar/Tige Fileté                             |                      |                      |            |
|     |                                                      | Nylon                |                      |            |
| 5   |                                                      | M16                  |                      | 7318 16 39 |
|     |                                                      | Stainless Steel/Inox |                      |            |
| 2   |                                                      | M4                   |                      | 7318 16 39 |
| 2   |                                                      | M5                   |                      | 7318 16 39 |
| 2   |                                                      | M6                   |                      | 7318 16 39 |
| 2   |                                                      | M8                   |                      | 7318 16 39 |
| 2   |                                                      | M10                  |                      | 7318 16 39 |
| 2   |                                                      | M12                  |                      | 7318 16 39 |
| 2   |                                                      | M16                  |                      | 7318 16 39 |
| 2   |                                                      | M20                  |                      | 7318 16 39 |
| 2   |                                                      | M30                  |                      | 7318 16 39 |
|     | Tap/Taraud                                           |                      |                      |            |
|     |                                                      | Iso                  |                      |            |
| 2   |                                                      | M2,5                 | HE2102               | 7318 16 39 |
| 2   |                                                      | M3                   | HE2102               | 7318 16 39 |
| 2   |                                                      | M4                   | HE2102               | 7318 16 39 |
| 2   |                                                      | M5                   | HE2102               | 7318 16 39 |
| 2   |                                                      | M6                   | HE2102               | 7318 16 39 |

|    |                                   |                                         |               |            |
|----|-----------------------------------|-----------------------------------------|---------------|------------|
| 2  |                                   | M8                                      | HE2102        | 7318 16 39 |
| 2  |                                   | M10                                     | HE2102        | 7318 16 39 |
| 2  |                                   | M12                                     | HE2102        | 7318 16 39 |
| 2  |                                   | M16                                     | HE2102        | 7318 16 39 |
|    |                                   | Gaz BSP                                 |               |            |
| 2  |                                   | G1/4                                    | HE2144        | 7318 16 39 |
| 2  |                                   | G3/8                                    | HE2144        | 7318 16 39 |
| 2  |                                   | G1/2                                    | HE2144        | 7318 16 39 |
| 2  |                                   | G3/4                                    | HE2144        | 7318 16 39 |
|    |                                   | NPT                                     |               |            |
| 2  |                                   | 1/4"                                    | HE2164        | 7318 16 39 |
|    | Die Head / Filière                |                                         |               |            |
|    |                                   | Iso                                     |               |            |
| 2  |                                   | M4                                      | HE2501        | 8207 90 99 |
| 2  |                                   | M5                                      | HE2501        | 8207 90 99 |
| 2  |                                   | M6                                      | HE2501        | 8207 90 99 |
| 2  |                                   | M8                                      | HE2501        | 8207 90 99 |
| 2  |                                   | M10                                     | HE2501        | 8207 90 99 |
| 2  |                                   | M12                                     | HE2501        | 8207 90 99 |
| 2  |                                   | M16                                     | HE2501        | 8207 90 99 |
|    |                                   | Gaz BSP                                 |               |            |
| 2  |                                   | G1/4                                    | HE2504        | 8207 90 99 |
| 2  |                                   | G3/8                                    | HE2504        | 8207 90 99 |
| 2  |                                   | G1/2                                    | HE2504        | 8207 90 99 |
| 2  |                                   | G3/4                                    | HE2504        | 8207 90 99 |
|    |                                   | NPT                                     |               |            |
| 2  |                                   | 1/4"                                    | HE2504        | 8207 90 99 |
|    | Drill bit / Foret HSS             | Diameter/Diamètre                       |               |            |
| 2  |                                   | 3                                       | HE2101        | 8207 90 99 |
| 2  |                                   | 3,5                                     | HE2101        | 8207 90 99 |
| 2  |                                   | 4                                       | HE2101        | 8207 90 99 |
| 2  |                                   | 4,5                                     | HE2101        | 8207 90 99 |
| 2  |                                   | 5                                       | HE2101        | 8207 90 99 |
| 2  |                                   | 5,5                                     | HE2101        | 8207 90 99 |
| 2  |                                   | 6                                       | HE2101        | 8207 90 99 |
| 2  |                                   | 6,5                                     | HE2101        | 8207 90 99 |
| 2  |                                   | 7                                       | HE2101        | 8207 90 99 |
| 2  |                                   | 7,5                                     | HE2101        | 8207 90 99 |
| 2  |                                   | 8                                       | HE2101        | 8207 90 99 |
| 2  |                                   | 8,5                                     | HE2101        | 8207 90 99 |
| 2  |                                   | 9                                       | HE2101        | 8207 90 99 |
| 2  |                                   | 9,5                                     | HE2101        | 8207 90 99 |
| 2  |                                   | 10                                      | HE2101        | 8207 90 99 |
| 2  |                                   | 10,5                                    | HE2101        | 8207 90 99 |
| 2  |                                   | 11                                      | HE2101        | 8207 90 99 |
| 2  |                                   | 11,5                                    | HE2101        | 8207 90 99 |
| 2  |                                   | 12                                      | HE2101        | 8207 90 99 |
| 2  |                                   | 12,5                                    | HE2101        | 8207 90 99 |
| 2  |                                   | 13                                      | HE2101        | 8207 90 99 |
| 2  |                                   | 13,5                                    | HE2101        | 8207 90 99 |
| 2  |                                   | 14                                      | HE2101        | 8207 90 99 |
| 2  |                                   | 14,5                                    | HE2101        | 8207 90 99 |
| 2  |                                   | 15                                      | HE2101        | 8207 90 99 |
| 2  |                                   | 15,5                                    | HE2101        | 8207 90 99 |
| 2  |                                   | 16                                      | HE2101        | 8207 90 99 |
|    | Tape/ Scotch                      |                                         |               |            |
| 15 |                                   | Coated Silver Cloth Tape/Rouleau C      | 20081         | 3919 10 80 |
|    | Lifting/ Levage                   |                                         |               |            |
| 1  |                                   | Chain Hoist/Palan 1T                    | 107212        | 7312 90 00 |
|    | PPE/EPI                           |                                         |               |            |
| 60 |                                   | Working Gloves/Gant manut               | 00047304      | 6203 42 11 |
| 60 |                                   | Leather glove/Gant cuir                 | 01022742      | 6203 42 11 |
| 5  |                                   | Welding Glove/Gant cuir collar          | 01020996      | 6203 42 11 |
| 10 |                                   | Safety Glasses/Lunette de proté         | 00013847      | 6203 42 11 |
| 10 |                                   | Hard hat/Casque chantier                | 00051583      | 6203 42 11 |
| 1  |                                   | Ear Plug/Bouchon d'oreille (S           | 14724         | 6203 42 11 |
| 10 |                                   | Respirator/Masque Respirato             | 23306         | 6203 42 11 |
| 2  |                                   | Full Body Harnesses/ Harnais de S       | 14002         | 6203 42 11 |
| 2  |                                   | lanyard/Longe 1.5m                      | 71201         | 6203 42 11 |
| 8  |                                   | Snap Hook/Mousqueton                    | 40            | 73 181 300 |
|    | Rope/Bout                         |                                         |               |            |
| 1  |                                   | Driss Préétiré noir polyester 100m ave  | 156982        | 7312 90 00 |
| 1  |                                   | Driss Préétiré noir polyester 100m ave  | 156983        | 7312 90 00 |
| 1  |                                   | Cordage Polyester 3 Torons blanc 100m a | 41911         | 7312 90 00 |
|    | ThreadLocker/ Frein Filet Loctite |                                         |               |            |
| 2  |                                   | Threadlocker Low/Loctite Frein filet    | 00026883      | 1515 90 60 |
| 2  |                                   | Threadlocker Medium/Loctite Frein file  | 00026885      | 1515 90 60 |
| 2  |                                   | Threadlocker/Loctite Frein filet fo     | 00026884      | 1515 90 60 |
| 2  |                                   | Thread Sealant/Loctite étanchéité ra    | 00026930      | 1515 90 60 |
| 2  |                                   | Thread Sealant/Loctite étanchéité ra    | 83600542A1251 | 1515 90 60 |

|    |                                                                |                       |             |             |
|----|----------------------------------------------------------------|-----------------------|-------------|-------------|
|    | Various/Divers                                                 |                       |             |             |
| 2  | Marine grease/Graisse marin                                    | Orapi WSA605 1Kgs     |             | 1515 90 60  |
| 2  | White Grease/Graisse Blanc                                     | Orapi BA 40           |             | 1515 90 60  |
| 10 | Mécanique grease cartridge/Cartouche Gra                       | 00051583              |             | 1515 90 60  |
| 1  | First Aid Kit/Trousse de secours                               |                       |             | 3006 50 00  |
| 2  | Hand Cleaner/Savon Main                                        | Fast Orange 3,785lts  |             | 3401 11 00  |
| 6  | Rouleau Essuie-main/ Hand Paper                                | 53cm, Total 4000fonds |             | 48 182 099  |
| 1  | WD-40 5L                                                       | 42724-5               |             | 34 031 999  |
| 2  | Sprayer/ Pulvérisateur WD-4                                    | 6266                  |             | 34 031 999  |
| 5  | Cutting Oil/Huile de Coupe                                     | Rocut                 |             | 34 039 900  |
| 30 | Rag/Chiffon                                                    | CHIFFON,8             |             | 63 101 000  |
|    | Gasket/Joint                                                   |                       |             |             |
| 1  | O Ring Making Kit/Boite Fabrication j                          | EAZCOFFR019           |             | 8484 20 00  |
|    | Flat Seal/Plat                                                 |                       |             |             |
| 1  | 1mx1mx4mm                                                      |                       |             | 8484 20 00  |
| 1  | 1mx1mx6mm                                                      |                       |             | 8484 20 00  |
| 1  | 1mx1mx10mm                                                     |                       |             | 8484 20 00  |
|    | Anode                                                          |                       |             |             |
|    | Zinc (Stainless steel/inox)                                    |                       |             |             |
| 4  | Rosace 50mm                                                    | 0000007195139         |             | 79 070 000  |
| 6  | Rosace 75mm                                                    | 0000007195140         |             | 79 070 000  |
| 22 | Rosace 105mm                                                   | 0000007195141         |             | 79 070 000  |
| 7  | Gori 28x16mm                                                   | 0000007195142         |             | 79 070 000  |
| 10 | Gori 33x20mm                                                   | 0000007195143         |             | 79 070 000  |
| 2  | Gori 44x33mm                                                   | 0000007195144         |             | 79 070 000  |
| 4  | Grease Solvent/Dégraissant                                     | * KF bleu 5L          | 40670-5     | 34 031 999  |
| 1  | Chamfer Milling/Fraise à Chanfreinner                          |                       | 049JEU-DE-5 | 820 179 099 |
|    | Quick Coupling Presurized air/Raccord Rapide Air Comprimé      |                       |             |             |
| 5  | Coupling Female/ Coupleur E-safe G                             | 103 102 204           |             | 73 072 910  |
| 5  | Socket Male /Embout G1/4" F                                    | 103 105 202           |             | 73 072 910  |
| 5  | Adaptateur R1/4" /Embout canne                                 | 199 000 224           |             | 73 072 910  |
| 5  | Adaptateur R3/8" /Embout canne                                 | 199 000 224           |             | 73 072 910  |
| 5  | Adaptateur R1/4" /Embout canne                                 | 199000235             |             | 73 072 910  |
| 5  | Adaptateur R3/8" /Embout canne                                 | 199000235             |             | 73 072 910  |
| 2  | Filtre Groupe Filtration                                       | 0160MG010P            |             | 84 21 2300  |
| 5  | Denzo Tape/Bande Grasse                                        | 450045                |             |             |
| 6  | Oil absorbent Paper/ Absorbant huile                           | 18692                 |             | 48 182 099  |
| 20 | Téflon                                                         | GER,TR                |             | 39 19 1080  |
|    | Straight Coupling/Union Egale Male                             |                       |             |             |
| 5  | 8L                                                             | Z DL8                 |             | 73 072 910  |
| 5  | 12L                                                            | Z DL 12L              |             | 73 072 910  |
| 5  | 20S                                                            | Z OS 20s              |             | 73 072 910  |
| 3  | 8L/12L                                                         | Z DL12-8              |             | 73 072 910  |
|    | Equal Elbow/Equerre Male/Male                                  |                       |             |             |
| 5  | 8L                                                             | Z EL8                 |             | 73 072 910  |
| 5  | 12L                                                            | Z EL12                |             | 73 072 910  |
| 5  | 28L                                                            | Z EL28                |             | 73 072 910  |
|    | Adjustable Standpipe Elbow/Coude Orientable Male-Femelle       |                       |             |             |
| 3  | 8L                                                             | Z EEL 8 TLM           |             | 73 072 910  |
| 3  | 12L                                                            | Z EEL 12 TLM          |             | 73 072 910  |
| 3  | 20S                                                            | Z EES 20 TLM          |             | 73 072 910  |
| 1  | 38S                                                            | Z ESS 38 TLM          |             | 73 072 910  |
|    | Male Stud Elbow/Equerre Implantation                           |                       |             |             |
| 3  | 8L/1/8"                                                        | Z CKL 8 R1/8          |             | 73 072 910  |
| 3  | 8L/1/4"                                                        | Z CKL 8 R1/4          |             | 73 072 910  |
| 3  | 12L/1/4"                                                       | Z CKL 12 R1/4         |             | 73 072 910  |
| 3  | 12L/3/8"                                                       | Z CKL 12 R3/8         |             | 73 072 910  |
| 3  | 12L/1/2"                                                       | Z CKL 12 R1/2         |             | 73 072 910  |
|    | Equal Tee/Té Male Male Male                                    |                       |             |             |
| 5  | 8L                                                             | Z TL8                 |             | 73 072 910  |
| 5  | 12L                                                            | Z TL12                |             | 73 072 910  |
|    | Adjustable Standpipe Branch Tee/Té Male Male Femelle           |                       |             |             |
| 3  | 8L                                                             | Z TEL 8 TLM           |             | 73 072 910  |
| 3  | 12L                                                            | Z TEL 12 TLM          |             | 73 072 910  |
|    | Male Stud Coupling/ Implantation Male Male                     |                       |             |             |
| 3  | 8L/G1/4                                                        | Z AL 8 R1/4WD         |             | 73 072 910  |
| 3  | 8L/G1/2                                                        | Z AL 8 R1/2WD         |             | 73 072 910  |
| 3  | 8L/1/4NPT                                                      | Z AKL 8 1/4NPT        |             | 73 072 910  |
| 3  | 12L/G1/4                                                       | Z AL 12 R1/4WD        |             | 73 072 910  |
| 3  | 12L/G3/8                                                       | Z AL 12 R3/8WD        |             | 73 072 910  |
| 3  | 12L/G1/2                                                       | Z AL 12 R1/2WD        |             | 73 072 910  |
| 3  | 12L/1/4NPT                                                     | Z AKL 12 1/4NPT       |             | 73 072 910  |
| 3  | 20s/G3/4"                                                      | Z AS 20 R3/4WD        |             | 73 072 910  |
| 3  | 20s/G1"                                                        | Z AS 20 R1            |             | 73 072 910  |
|    | Adjustable Male Stud Standpipe/Union Implantation Male Femelle |                       |             |             |
| 3  | G1/4/8L                                                        | Z RAL 8 R 1/4TLMWD    |             | 73 072 910  |
| 3  | G3/8/12L                                                       | Z RAL 12 R 3/8TLMWD   |             | 73 072 910  |
| 3  | G1/2/12L                                                       | Z RAL 12 R 1/2TLMWD   |             | 73 072 910  |

|    |                                                                     |                                      |                       |            |
|----|---------------------------------------------------------------------|--------------------------------------|-----------------------|------------|
| 3  | Weld Nipple/Embout a Souder                                         | G3/4/20S                             | Z RAS 20 R 3/4TLMWD   | 73 072 910 |
| 3  |                                                                     | 20s                                  | Z ORIS 20             | 73 072 910 |
| 3  |                                                                     | 28L                                  | Z ORIL 28             | 73 072 910 |
|    | Pipe Female Female/Tube Femelle-Femelle                             |                                      |                       |            |
| 3  |                                                                     | 8L                                   | Z ATL 8               | 73 072 910 |
| 3  |                                                                     | 12L                                  | Z ATL 12              | 73 072 910 |
| 3  |                                                                     | 20s                                  | Z ATS 20              | 73 072 910 |
|    | BSP                                                                 |                                      |                       |            |
|    | Hexagonale Coupling/Union implantation gaz                          |                                      |                       |            |
| 3  |                                                                     | 1/4"                                 | MH8G                  | 73 072 910 |
| 3  |                                                                     | 3/8"                                 | MH12G                 | 73 072 910 |
| 3  |                                                                     | 1/2"                                 | MH15G                 | 73 072 910 |
| 3  |                                                                     | 3/4"                                 | MH20G                 | 73 072 910 |
|    | 90° Elbow/Coude Male Femelle                                        |                                      |                       |            |
| 3  |                                                                     | G1/4                                 | CMF8G                 | 73 072 910 |
|    | 90° Elbow/Coude Femelle Femelle                                     |                                      |                       |            |
| 3  |                                                                     | G1/4                                 | CFF8G                 | 73 072 910 |
|    | Tee/Té FFF                                                          |                                      |                       |            |
| 3  |                                                                     | G1/4                                 | TE8G                  | 73 072 910 |
|    | Socket/Manchon                                                      |                                      |                       |            |
| 3  |                                                                     | G1/4                                 | M8G                   | 73 072 910 |
| 3  |                                                                     | G3/8                                 | M12G                  | 73 072 910 |
| 3  |                                                                     | G1/2                                 | M15G                  | 73 072 910 |
| 3  |                                                                     | G3/4                                 | M20G                  | 73 072 910 |
|    | Nut/Ecrou de blocage                                                |                                      |                       |            |
| 10 |                                                                     | 8L                                   | Z ML 8                | 73 072 910 |
| 10 |                                                                     | 12L                                  | Z ML 12               | 73 072 910 |
| 10 |                                                                     | 20S                                  | Z MS 20               | 73 072 910 |
| 3  |                                                                     | 28L                                  | Z ML 28               | 73 072 910 |
|    | Twin Bite Cutting Ring/Bague Coupante double pénétration            |                                      |                       |            |
| 10 |                                                                     | 8L                                   | Z ACL 8               | 73 072 910 |
| 10 |                                                                     | 12L                                  | Z ACL 12              | 73 072 910 |
|    | Blanking Plug BSP/Bouchon Tête HC GAZ                               |                                      |                       |            |
| 10 |                                                                     | G1/4"                                | Z STOPFEN 1/4         | 73 072 910 |
| 5  |                                                                     | G3/8"                                | Z STOPFEN 3/8         | 73 072 910 |
| 5  |                                                                     | G1/2"                                | Z STOPFEN 1/2         | 73 072 910 |
|    | Hexagonal Plug BSP/ Bouchon Hexagonale Gaz                          |                                      |                       |            |
| 20 |                                                                     | R 3/4"                               | BM20G                 | 73 072 910 |
| 3  |                                                                     | R 1"1/4                              | BM32G                 | 73 072 910 |
|    | Hexagonal Plug/ Bouchon Hexagonale NPT                              |                                      |                       |            |
| 3  |                                                                     | 1/4NPT                               | GF-111 1/4NPT-4L      | 73 072 910 |
|    | Plug With O-ring/Obturateur avec joint torique                      |                                      |                       |            |
| 10 |                                                                     | 8L                                   | Z BUTZEN L8           | 73 072 910 |
| 10 |                                                                     | 12L                                  | Z BUTZEN L12          | 73 072 910 |
| 10 |                                                                     | 20S                                  | Z BUTZEN S20          | 73 072 910 |
|    | Hexagonal Reducing Bush/Reduction Male-Femelle                      |                                      |                       |            |
| 2  |                                                                     | G1/4"IG1/2"                          | Z RI-R1/2R1/4WD       | 73 072 910 |
| 2  |                                                                     | G3/8"IG1/4"                          | Z RI-R3/8R1/4WD       | 73 072 910 |
|    | Adapteur Male/Femelle                                               |                                      |                       |            |
| 3  |                                                                     | G1/4/1/4"NPT                         | M194-430-237          | 73 072 910 |
|    | Reducing Hexagon Nipple/Réduction Male-Male                         |                                      |                       |            |
| 3  |                                                                     | G3/8"IG1/4"                          | Z10200406             | 73 072 910 |
|    | Coupling self-sealing/Coupleur Auto-Obtuteur                        |                                      |                       |            |
|    |                                                                     | Male                                 |                       |            |
| 5  |                                                                     | 1/4"                                 | Z800104               | 73 072 910 |
| 5  |                                                                     | 3/8"                                 | Z800106               | 73 072 910 |
| 2  |                                                                     | 1/2"                                 | Z800108               | 73 072 910 |
|    |                                                                     | Female/Femelle                       |                       |            |
| 5  |                                                                     | 1/4"                                 | Z800204               | 73 072 910 |
| 5  |                                                                     | 3/8"                                 | Z800206               | 73 072 910 |
| 2  |                                                                     | 1/2"                                 | Z800208               | 73 072 910 |
| 10 | Stainless Steel Purge valve/Purge G1/4" Inox                        |                                      | H480 OPA-SS-R-1/4-3PS | 73 072 910 |
| 2  | Relief Valve/Valve Surpression 1/2NPT                               |                                      | SS-8CPA2-EP3          | 73 072 910 |
|    | Adaptator Test Point Connector/Adaptation Minimes                   |                                      |                       |            |
| 3  |                                                                     | Prise pression 1/4" OR               | Z MPR 1/4 G           | 73 072 910 |
| 4  |                                                                     | Pressure Gauge Connection/Adaptation | SMA-20-G1/4-V-OR-W5   | 73 072 910 |
|    | Straight Pressure Gauge Screwed Union/Prise de pression union égale |                                      |                       |            |
| 3  |                                                                     | 8L-G1/4                              | Z MPR DL 8            | 73 072 910 |
| 3  |                                                                     | 12L-G1/4                             | Z MPR DL 12           | 73 072 910 |
| 3  |                                                                     | 20s-G1/4                             | Z MPR DS 20           | 73 072 910 |
|    | Adjustable Pressure Gauge Connector/Union orientable pour manomètre |                                      |                       |            |
| 5  |                                                                     | 8L-G1/4                              | MAVE08LR71            | 73 072 910 |
| 3  |                                                                     | 12L-G1/4                             | MAVE12LR71            | 73 072 910 |
| 5  |                                                                     | 20s-G1/4                             | MAVE20S1/471          | 73 072 910 |
|    | Gasket BS/ Bague BS                                                 |                                      |                       |            |

|    |                                                                         |                            |                     |            |
|----|-------------------------------------------------------------------------|----------------------------|---------------------|------------|
| 10 |                                                                         | 1/4"                       | ZVT21004            | 73 072 910 |
| 10 |                                                                         | 3/8"                       | ZVT21006            | 73 072 910 |
| 10 |                                                                         | 1/2"                       | ZVT21008            | 73 072 910 |
| 10 |                                                                         | 3/4"                       | ZVT21012            | 73 072 910 |
| 10 |                                                                         | 1"                         | ZVT21016            | 73 072 910 |
| 4  |                                                                         | 1"1/4                      | ZVT21020            | 73 072 910 |
|    | Pipe Clamp/Collier Stauff                                               |                            |                     |            |
| 10 |                                                                         | D8 Simple                  | ZA41AZ08            | 39 269 097 |
| 10 |                                                                         | D8 Double                  | ZA2CFS08            | 39 269 097 |
| 10 |                                                                         | D12 Simple                 | ZA41AZ12            | 39 269 097 |
| 10 |                                                                         | D12 double                 | ZA2CFS12            | 39 269 097 |
| 10 |                                                                         | D20 Simple                 | ZA41AZ20            | 39 269 097 |
| 10 |                                                                         | D20 double                 | ZA2CFS20            | 39 269 097 |
| 3  | Neutrik 3 Way Panel Mount XLR Connector Female/Embase 3 contact Femelle |                            | 464-713             |            |
|    | Neutrik 3 Way Cable Mount XLR Connector/Connecteur XLR 3Voies           |                            |                     |            |
| 10 |                                                                         | Male/Mâle                  | 405-607             | 85 367 000 |
| 10 |                                                                         | Female/Femelle             | 405-590             | 85 367 000 |
|    | Neutrik 6 Way Cable Mount XLR Connector/Connecteur XLR 6Voies           |                            |                     |            |
| 6  |                                                                         | Male/Mâle                  | 364-6283            | 85 367 000 |
| 4  |                                                                         | Female/Femelle             | 666-0579            | 85 367 000 |
|    | Radiall Straight BNC Connector/Connecteur BNC                           |                            |                     |            |
|    |                                                                         | Size/Taille                | D3C                 |            |
| 10 |                                                                         | RG179/2,8mm                | ser1010             | 85 367 000 |
| 10 |                                                                         | RG59/3,6mm                 | ser1045             | 85 367 000 |
| 10 |                                                                         | RG59/6,15mm                | ser1000             | 85 367 000 |
|    | Plastic Cable Gland/PE Plastique                                        |                            |                     |            |
|    |                                                                         | Size/Taille                |                     |            |
| 3  |                                                                         | 6-12mm                     | 704-8668 (set 5)    | 39 269 097 |
| 3  |                                                                         | 12-18mm                    | 704-8677 (set 5)    | 39 269 097 |
| 3  |                                                                         | 18-25mm                    | 052-0838 (set 5)    | 39 269 097 |
| 3  |                                                                         | 24-32mm                    | 807-9809 (set 5)    | 39 269 097 |
|    | Locknut Cable Gland/Ecrou PE                                            |                            |                     |            |
|    |                                                                         | Thread size/Filetage       |                     |            |
| 2  |                                                                         | PG36                       | 053-1147 (set 10)   | 39 269 097 |
| 3  |                                                                         | M20                        | 444-3108 (set 5)    | 39 269 097 |
| 3  |                                                                         | M25                        | 444-3114 (set 5)    | 39 269 097 |
|    | Terminal Strip/Bornier de raccordement Droit                            |                            | LEGRAND             |            |
| 1  |                                                                         | 2,5mm <sup>2</sup>         | 86801               | 85 437 090 |
| 1  |                                                                         | 6mm <sup>2</sup>           | 86811               | 85 437 090 |
| 1  |                                                                         | 10mm <sup>2</sup>          | 86821               | 85 437 090 |
| 1  |                                                                         | 16mm <sup>2</sup>          | 86831               | 85 437 090 |
|    | French Mains Sockets/Fiche 2P+T 250V 16A France                         |                            |                     | 85 437 090 |
| 10 |                                                                         | Male                       | O21408              | 85 437 090 |
| 10 |                                                                         | Female/Femelle             | O21429              | 85 437 090 |
| 1  | 8P8C Way RJ45 Connector Male/Connecteur RJ45                            |                            | 331-6386 (set 100)  | 85 437 090 |
| 5  | RJ45 Connector Backshell /Capot RJ45                                    |                            | 349-9655 (set 10)   | 85 437 090 |
|    | DB9 Connector Hood/Boîtier pour connecteur DB9                          |                            |                     |            |
| 10 |                                                                         | male                       | 787-3858            | 85 437 090 |
| 10 |                                                                         | Female/Femelle             | 787-3852            | 85 437 090 |
| 20 | DB9 Connector Backshell/ Capot DB9                                      |                            | 484-789 (set 5)     | 85 437 090 |
|    | Insulated Crimp Bootlace Ferrule/Embout de Cablage à Sertir             |                            |                     |            |
|    |                                                                         | Size/Taille                | KLAUKE              |            |
| 1  |                                                                         | 0,5mm <sup>2</sup>         | 1698                | 85 472 000 |
| 1  |                                                                         | 1mm <sup>2</sup>           | 1718                | 85 472 000 |
| 1  |                                                                         | 1,5mm <sup>2</sup>         | 1728                | 85 472 000 |
| 1  |                                                                         | 2,5mm <sup>2</sup>         | 1738                | 85 472 000 |
|    | Black Nylon Cable Tie/Serre-Câble TY-Rap                                |                            | UNEX                |            |
| 4  |                                                                         | 100mmx2,5mm noir           | 22210               | 85 472 000 |
| 4  |                                                                         | 200mmx2,5mm noir           | 22250               | 85 472 000 |
| 2  |                                                                         | 300mmx4,8mm noir           | 22470               | 85 472 000 |
|    | Cable tie Colson/ Serre-câble Colson                                    |                            | UNEX                |            |
| 2  |                                                                         | 123mmx9mm                  | 22710               | 39 269 097 |
| 2  |                                                                         | 185mmx9mm                  | 22720               | 39 269 097 |
| 2  |                                                                         | 355mmx9mm                  | 22730               | 39 269 097 |
| 1  |                                                                         | 500mmx9mm                  | 22780               | 39 269 097 |
|    | Electrical Insulation Tape/ Ruban d'isolation électrique                |                            |                     |            |
| 5  |                                                                         | 3M SUPER 33+ Black / Noir  | 80021               | 39 191 080 |
| 5  |                                                                         | 3M scotch 35 Red/Rouge     | 80055               | 39 191 080 |
| 5  |                                                                         | 3M scotch 35 Blue/Bleu     | 80050               | 39 191 080 |
| 5  |                                                                         | 3M scotch 35 Yellow/Jaune  | 80052               | 39 191 080 |
| 3  |                                                                         | Advance Tapes AT7          | 80470               | 39 191 080 |
| 1  | Tin/Etain D1mm                                                          |                            | 222301 (agi-robur ) | 80 012 000 |
|    | Uninsulated Tin Plated Tubular Ring Terminal/ Cosse à Cillet Tubulaire  |                            |                     |            |
| 1  |                                                                         | 1,5mm <sup>2</sup> x4mm    | 613-9249 (set 100)  | 85 472 000 |
| 1  |                                                                         | 2,5mm <sup>2</sup> x6,35mm | 534-569 (set 100)   | 85 472 000 |
| 1  |                                                                         | 6mm <sup>2</sup> x8        | 841-7608 (set 100)  | 85 472 000 |
| 1  |                                                                         | 10mm <sup>2</sup> x8       | 841-7614 (set 100)  | 85 472 000 |

|    |                                                              |                                                              |                        |               |
|----|--------------------------------------------------------------|--------------------------------------------------------------|------------------------|---------------|
| 1  |                                                              | 16mm <sup>2</sup> x8                                         | 841-7611 (set 100)     | 85 472 000    |
| 1  |                                                              | 35mm <sup>2</sup> x8                                         | 841-7636 (set 50)      | 85 472 000    |
| 1  |                                                              | 70mm <sup>2</sup> x8                                         |                        | 85 472 000    |
| 1  |                                                              | 70mm <sup>2</sup> x10                                        | 841-7645 (set 50)      | 85 472 000    |
| 30 |                                                              | 150mm <sup>2</sup> x12                                       | 841-7661 (set 10)      | 85 472 000    |
|    | Shrink Tubing/ Gaine Thermo-retractable                      |                                                              |                        |               |
|    | Black/ Noir, Polyoléfine adhésive                            |                                                              |                        |               |
| 5  |                                                              | 1,6mmx1,2m                                                   | 170-6361               | 39 173 200    |
| 5  |                                                              | 3,2mm x 1,2m                                                 | 170-2713               | 39 173 200    |
| 5  |                                                              | 4,8mm x 1,2m                                                 | 170-2735               | 39 173 200    |
| 5  |                                                              | 6,4mm x 1,2m                                                 | 170-2741               | 39 173 200    |
| 5  |                                                              | 9mm x 1,2m                                                   | 234-4891               | 39 173 200    |
| 5  |                                                              | 12,7mm x 1,2m                                                | 481-1810               | 39 173 200    |
| 5  |                                                              | 16mm x 1,2m                                                  | 316-1653               | 39 173 200    |
| 5  |                                                              | 19mm x 1,2m                                                  | 316-1596               | 39 173 200    |
| 5  |                                                              | 24mm x 1,2m                                                  | 316-1669               | 39 173 200    |
| 2  | Velcro                                                       | Black Hook & Loop Tape/<br>Crochets et Boucles,<br>25mm x 5m | 176-3033               | 39 173 200    |
|    | Slide On Cable Marker/ Marqueur de câbles                    |                                                              |                        |               |
| 1  |                                                              | Mark/Repère 0                                                | V-27 0360 0205 010 0   | 39 269 097    |
| 1  |                                                              | Mark/Repère 1                                                | V-27 0360 0205 006 1   | 39 269 097    |
| 1  |                                                              | Mark/Repère 2                                                | V-27 0360 0205 007 2   | 39 269 097    |
| 1  |                                                              | Mark/Repère 3                                                | V-27 0360 0205 005 3   | 39 269 097    |
| 1  |                                                              | Mark/Repère 4                                                | V-27 0360 0205 004 4   | 39 269 097    |
| 1  |                                                              | Mark/Repère 5                                                | V-27 0360 0205 003 5   | 39 269 097    |
| 1  |                                                              | Mark/Repère 6                                                | V-27 0360 0205 002 6   | 39 269 097    |
| 1  |                                                              | Mark/Repère 7                                                | V-27 0360 0205 008 7   | 39 269 097    |
| 1  |                                                              | Mark/Repère 8                                                | V-27 0360 0205 013 8   | 39 269 097    |
| 1  |                                                              | Mark/Repère 9                                                | V-27 0360 0205 001 9   | 39 269 097    |
| 1  |                                                              | Letter/Lettre C                                              | V-27 0360 0205 015 C   | 39 269 097    |
|    | Equipment Wire/Fil d'équipement                              |                                                              |                        |               |
|    | White /Blanc                                                 |                                                              |                        |               |
| 1  |                                                              | 0,5                                                          | 208-5643 (bobine 100m) | 85 444 991    |
| 1  |                                                              | 0,75                                                         | 208-5700 (bobine 100m) | 85 444 991    |
| 1  |                                                              | 1                                                            | 208-5766 (bobine 100m) | 85 444 991    |
|    | Black/ Noir                                                  |                                                              |                        |               |
| 1  |                                                              | 0,5                                                          | 208-5592 (bobine 100m) | 85 444 991    |
| 1  |                                                              | 0,75                                                         | 208-5665 (bobine 100m) | 85 444 991    |
| 1  |                                                              | 1                                                            | 208-5722 (bobine 100m) | 85 444 991    |
|    | Power Wire/ Cable d'alimentation                             |                                                              |                        |               |
| 1  |                                                              | 3G1,5mm <sup>2</sup> (OLFLEX ROBUST 200)                     | NEXANS<br>O1394737     | 85 444 991    |
| 1  |                                                              | 3G2,5mm <sup>2</sup> (OLFLEX ROBUST 200)                     | O1394741               | 85 444 991    |
| 1  | Coaxial Cable/Cable Video                                    | ble coaxial RG179, 75 Ω, N<br>JELTOSEC C3 Aérosol 520<br>ml  | 235-5425 (bobine 100m) | 85 444 991    |
| 1  | Contact Cleaner/Nettoyant Contact                            |                                                              | 461-2433 (set 12)      | 2903 39 35 10 |
| 10 | Silicone grease/ Graisse Silicone                            | ycate Medium 44 Tube 1                                       | SAMK2008               | 34 039 900    |
| 12 | Dry Air/Dépoussiérant                                        | le'r 99.9 Aérosol Jelt 400 n                                 | N1004                  | 2903 39 35 10 |
|    | Wire Lock resin                                              |                                                              |                        |               |
| 2  |                                                              | 250cc                                                        | 11111983               | 39 079 110    |
| 2  |                                                              | 1000cc                                                       | 11119680               | 39 079 110    |
| 5  | Coupling ST SM Simplex 3M/Traverse Passe-Cloison             |                                                              | TK ST XSM 1            | 85 437 090    |
| 5  | Coupling ST FC Simplex 3M/Traverse Passe-Cloison             |                                                              | TK FC XSM 1            | 85 437 090    |
| 20 | Hot Melt Connector Singlemode ST Yellow 8100 YS              |                                                              | 8100YS                 | 85 367 000    |
|    | Fibre Optic Cable Assembly/Cordon Fibre optique              |                                                              |                        |               |
|    |                                                              | ST/ST                                                        |                        |               |
| 3  |                                                              | 1m                                                           | CO2008STST 1,000       | 85 367 000    |
| 3  |                                                              | 2m                                                           | CO2008STST 2,000       | 85 367 000    |
|    |                                                              | ST/FC                                                        |                        |               |
| 3  |                                                              | 1m                                                           | CO2008FCST 1,00        | 85 367 000    |
| 3  |                                                              | 2m                                                           | CO2008FCST 2,00        | 85 367 000    |
|    | Polish Paper/Papier Polissage                                |                                                              |                        |               |
| 10 |                                                              | 0,3micron                                                    | ALF300308G             | 85 367 000    |
| 10 |                                                              | 3micron                                                      | ALF303008G             | 85 367 000    |
| 10 |                                                              | 5micron                                                      | ALF305008G             | 85 367 000    |
| 10 |                                                              | 9micron                                                      | ALF309008G             | 85 367 000    |
| 2  | Presaturated Wipes/Chiffon Pré-impregnés                     |                                                              | NETSACHETIPA           | 29 051 200    |
| 5  | Alcool                                                       |                                                              | NETBIDONIPA1L          | 29 051 200    |
| 1  | OIL TELLUS 32 TANK                                           |                                                              |                        | 27 101 999    |
| 24 | 1 Tracks Set of (Aluminum grousers , strips , screws,hinges) |                                                              |                        | 8708 99 97    |
| 1  | BACK COVER PDU SET                                           |                                                              |                        | 86 090 090    |
| 1  | CONTROL PANEL BARS SET                                       |                                                              |                        | 86 090 090    |
| 2  | Seats                                                        | type 620                                                     |                        | 94 013 000    |